





FortiGate®-200D Series

Secure Protection for the Campus Perimeter and Branch Office

The FortiGate-200D series delivers high-speed security and performance for campus perimeter and branch office wired or wireless networks. Purpose-built processors provide up to 4 Gbps firewall throughput, enabling protection of your applications and network without affecting availability or performance. High-density GbE interfaces facilitate network growth and expansion.

The FortiGate-200D series provides comprehensive threat protection with Fortinet's unmatched range of enterprise-grade security technologies. They deliver firewall, VPN (IPSec and SSL), intrusion prevention, antivirus/antispyware, antispam, and web filtering technologies. These platforms also provides application control, data loss prevention, dynamic routing for IPv4 and IPv6, endpoint NAC, and SSL-encrypted traffic inspection. These comprehensive security components enable you to deploy required technologies most suited for your unique environment.

Powerful, Secure, Easy to Install

FortiASIC purpose-built processors ensure that your security countermeasures will not become a network bottleneck. The FortiASIC CP8 processor delivers deep inspection security components such as application control, IPS and anti-malware. The FortiASIC NP4Lite processor delivers firewall and VPN throughput at switching speeds by performing high-speed processing of network flows. The FortiGate-200D series installs in minutes, automatically downloading regular updates to protect against the latest viruses, network vulnerabilities, worms, spam and phishing attacks, and malicious websites with no administrator intervention. Onboard storage provide local archiving of data for policy compliance and/or web caching.

Key Features & Benefits

Consolidated Security Architecture	FortiGate consolidated security offers better protection and lower cost of ownership than stand-alone security products	
High Port Density	Up to 90 x GbE ports facilitate flexible deployment of network segments and promotes network expansion and high availability configurations	
Single Pane of Glass Management	Reduces complexity and decreases costs as all security functions can be managed through one console	
Power Over Ethernet	Seamless integration of peripheral devices in a secure environment.	

Performance and Protection for Mid-size Networks

- High port density delivers maximum flexibility and scalability
- Application control coupled with identity-based policy enforcement provides complete content protection
- Strong authentication options for policy compliance
- IPv6 certified platform























FortiGate-280D-POE









 Custom FortiASICTM processors provide the performance needed to block emerging threats, meet rigorous third-party certifications, and ensure that your network security solution does not become a network bottleneck

Content Processor

The FortiASIC CP8 content processor works outside of the direct flow of traffic, providing high-speed cryptography and content inspection services including:

- Signature-based content inspection acceleration
- Encryption and decryption offloading

Network Processor

The FortiASIC NP4Lite network processor works inline with firewall and VPN functions delivering:

- Wire-speed firewall performance for any size packets
- VPN acceleration
- Anomaly-based intrusion prevention, checksum offload and packet defragmentation
- Traffic shaping and priority queuing

FortiOS — The World's Most Advanced Security Operating System

Feature Select

Instantly fine-tunes the FortiGate based on desired deployment needs using feature presets. Simplifies user administration and configurations while providing flexibility for different deployment modes.

Contextual Visibility

Presents critical deep insights into historic or real-time network activities with data on threat details, IPs, users, devices, applications and more. Allows administrators to quickly understand threats and stop them.

Advanced Security

Multiple advanced technologies can be coordinated to look for and stop today's blended, targeted or unknown attacks. Efficient packet handling improves performance while lowering latencies and reducing network complexities.

For complete, up-to-date and detailed feature set, please refer to the Administration Handbook and FortiOS Datasheet

Industry Validation

The FortiGate family of physical and virtual appliances has earned more certifications than any other vendor by consistently meeting rigorous third-party standards. Our industry-leading technology provides you with air-tight security which you can safely count on.

World-Class Technical Support and Documentation

Fortinet FortiCare support offerings provide comprehensive global support for all Fortinet products and services. You can rest assured your Fortinet security products are performing optimally and protecting your users, applications, and data around the clock.

More Protection and Better ROI

The FortiGate constantly evolves itself in its mission to provide more value for users. Extended features such as WiFi controller, integrated token server, endpoint control and WAN optimization add more security to organizations without incurring additional cost.

Complete and Real-time Security

Fortinet FortiGuard Subscription Services provide automated, real-time, up-to-date protection against the latest security threats. Our threat research labs are located worldwide, providing 24x7 updates when you most need it.



FortiOS Dashboard — Single Pane of Glass Management

ORDER INFORMATION

Product	SKU	Description	
FortiGate-200D	FG-200D	18 x GE RJ45 (including 16 x LAN ports, 2 x WAN ports), 2x GE SFP DMZ ports, 16GB onboard	
FortiGate-240D	FG-240D	42 x GE RJ45 ports (including 40 x LAN ports, 2 x WAN ports), 2 x GE SFP DMZ ports, 32GB onboard storage	
FortiGate-280D-POE	FG-280D-POE	86 x GE RJ45 ports (including 52 x LAN ports, 2 x WAN ports, 32 x PoE ports), 4 x GE SFP DMZ ports, 64GB onboard storage	
Optional Accessories	SKU	Description	
Redundant AC Power Supply	FRPS-100	Redundant AC power supply, supports four FG-200B/300C/310B units	

SPECIFICATIONS

	FORTIGATE-200D	FORTIGATE-240D	FORTIGATE-280D-POE
Hardware Specifications			
10/100/1000 WAN Interfaces (RJ45)	2	2	2
10/100/1000 LAN Interfaces (RJ45)	16	40	52
10/100/1000 PoE LAN Interfaces (RJ45)	-	-	32
GbE SFP DMZ Interfaces	2	2	4
JSB (Client / Server)		1/1	1/1
Console (RJ45)	1	1	1
ocal Storage	16 GB	32 GB	64 GB
System Performance			
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3/3/3Gbps	4/4/4 Gbps	4 / 4 / 4 Gbps
Firewall Latency (64 byte UDP packets)	2 μs	6 µs	2 μs
Firewall Throughput (Packets Per Second)	4.5 Mpps	6 Mpps	6 Mpps
Concurrent Sessions (TCP)	1.4 Million	3.2 Million	3.2 Million
lew Sessions/Sec (TCP)	77,000	77,000	77,000
irewall Policies	10,000	10,000	10,000
PSec VPN Throughput (512 byte packets)	1.3 Gbps	1.3 Gbps	1.3 Gbps
Rateway-to-Gateway IPSec VPN Tunnels	2,000	2,000	2,000
lient-to-Gateway IPSec VPN Tunnels	5,000	5,000	5,000
SL-VPN Throughput	400 Mbps		400 Mbps
oncurrent SSL-VPN Users (Recommended Max)	300	400 Mbps 300	300
PS Throughput		2.1 Gbps	2.1 Gbps
ntivirus Throughput (Proxy Based / Flow Based)	1.7 Gbps		
irtual Domains (Default / Max)	600 / 1,100 Mbps	600 / 1,100 Mbps 10 / 10	600 / 1,100 Mbps
Max Number of FortiAPs (Total / Tunnel Mode)		64 / 32	
Max Number of FortiTokens		1,000	
Max Number of Registered FortiClients	2,000		
ligh Availability Configurations		Active / Active, Active / Passive, Clustering	
Dimensions			
leight x Width x Length	1.75 x 17.01 x 11.73 in (44 x 432 x 298 mm)	1.75 x 17.01 x 11.73 in (44 x 432 x 298 mm)	3.5 x 17.2 x 11.8 in (89 x 437 x 300 mm)
orm Factor	Rack Mount, 1 RU	Rack Mount, 1 RU	Rack Mount, 2 RU
Veight	10.5 lbs (4.8 kg)	10.5 lbs (4.8 kg)	17.0 lbs (7.6 kg)
Environment			
ower over	100 - 240 VAC, 50 - 60 Hz	100 - 240 VAC, 50 - 60 Hz	100 - 240 VAC, 50 - 60 Hz
Nax Current	110 V / 3 A, 220 V / 1.5 A	110 V / 3 A, 220 V / 1.5 A	110 V / 7 A, 220 V / 3.5 A
otal Available PoE Power Budget	-	-	270 W
Power Consumption (Avg / Max)	55 / 79 W	80 / 98 W	329 / 340 W
leat Dissipation	270 BTU / h	335 BTU / h	1158 BTU/h
Pperating Temperature / Storage Temperature		32 - 104 °F (0 - 40 °C) / -31 - 158 °F (-35 - 70 °C)	
lumidity		20 to 90% non-condensing	
Compliance			
	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB		
Certifications			
		ICSA Labs: Firewall, IPSec, IPS, Antivirus, SSL VPN	

Note: All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files.



GLOBAL HEADQUARTERS EMEA SALES OFFICE

Fortinet Inc. 1090 Kifer Road Sunnyvale, CA 94086 United States Tel: +1.408.235.7700 Fax: +1.408.235.7737

120 rue Albert Caquot 06560, Sophia Antipolis, France Tel: +33.4.8987.0510 Fax: +33.4.8987.0501

APAC SALES OFFICE

300 Beach Road #20-01 The Concourse Singapore 199555 Tel: +65.6513.3730 Fax: +65.6223.6784

LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702 Col. Lomas de Santa Fe, C.P. 01219 Del. Alvaro Obregón México D.F. Tel: 011-52-(55) 5524-8480

Copyright© 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc. and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FST-PROD-DS-GT2HS FG-200D-DAT-R4-201311